

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: Periodic review of SDS 30/05/2025
Issue date: 13/03/2014 Revision date: 30/05/2022 Supersedes version of: 18/03/2021 Version: 1.8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture

Canopy Cleaner (WP 1406) Trade name

WP 1406 Product code

Aqueous mixture based on :Polymeric material containing a volatile hydrocarbon Type of product

Product group Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Cleaning boat and yacht canopies.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd

17 Crane Way, Woolsbridge Industrial Park,

Three Legged Cross, Wimborne, Dorset

BH21 6FA

United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS: info@wessexchemicalfactors.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)

+44 (0) 7973629367 (Out of hours emergency number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P261 - Avoid breathing spray, vapours, mist.

P280 - Wear eye protection, protective gloves, protective clothing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25-XXXX	1 – 6	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
ethanol, 2,2'-iminobis-,N-[3-(branched decyloxy)propyl] derivs., N-oxides	CAS-No.: 68478-65-9 EC-No.: 270-830-8	0.3 – 0.5	Eye Irrit. 2, H319
2-methylpentane-2,4-diol	CAS-No.: 107-41-5 EC-No.: 203-489-0 EC Index-No.: 603-053-00-3	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	< 0.01	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
2-methylpropan-2-ol; tert-butyl alcohol	CAS-No.: 75-65-0 EC-No.: 200-889-7 EC Index-No.: 603-005-00-1	< 0.01	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Safety Data Sheet

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
TURPENTINE substance with national workplace exposure limit(s) (GB)	CAS-No.: 8006-64-2, 9005- 90-7, 8052-14-0 EC-No.: 232-350-7, 232-688- 5	< 0.01	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
hydrogen peroxide solution % (Note B)	CAS-No.: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22-XXXX	< 0.01	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
copper dinitrate	CAS-No.: 3251-23-8 EC-No.: 221-838-5 REACH-no: 01-2119969290- 34	< 0.01	Ox. Sol. 2, H272 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 2, H411
DIETHYL PHTHALATE substance with national workplace exposure limit(s) (GB)	CAS-No.: 84-66-2 EC-No.: 201-550-6	< 0.01	Not classified
CAMPHOR substance with national workplace exposure limit(s) (GB)	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 0.01	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C ≤ 100) Eye Dam. 1, H318 (0.6 ≤C ≤ 100) Skin Corr. 1C, H314
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370
hydrogen peroxide solution %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22-XXXX	(5 ≤C < 8) Eye Irrit. 2, H319 (8 ≤C < 50) Eye Dam. 1, H318 (35 ≤C < 100) STOT SE 3, H335 (35 ≤C < 50) Skin Irrit. 2, H315 (50 ≤C < 70) Skin Corr. 1B, H314 (50 ≤C < 70) Ox. Liq. 2, H272 (70 ≤C < 100) Skin Corr. 1A, H314 (70 ≤C < 100) Ox. Liq. 1, H271

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash skin with plenty of water.

First-aid measures after eye contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Slight eye irritant upon direct contact.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : While not normally combustible, if water content is lost (as in a fire), material may release

flammable vapours if exposed to high temperature.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

30/05/2022 (Revision date) GB - en 4/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

roduct.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-methylpropan-2-ol; tert-butyl alcohol (75-65-0)	
United Kingdom - Occupational Exposure Limits	
Local name	2-Methylpropan-2-ol
WEL TWA (OEL TWA) [1]	308 mg/m³
WEL TWA (OEL TWA) [2]	100 ppm
WEL STEL (OEL STEL)	462 mg/m³
WEL STEL (OEL STEL) [ppm]	150 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
menon 2 ali iconyenyl alachal, iconyennal (67,62,0)	

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

United Kingdom - Occupational Exposure Limits

Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³

30/05/2022 (Revision date) GB - en 5/17

Safety Data Sheet

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
hydrogen peroxide solution % (7722-84-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
WEL TWA (OEL TWA) [1]	1.4 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	2.8 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
DIETHYL PHTHALATE (84-66-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Diethyl phthalate	
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
methanol (67-56-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methanol	
IOEL TWA [ppm]	200 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Methanol	
WEL TWA (OEL TWA) [1]	266 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	333 mg/m³	
WEL STEL (OEL STEL) [ppm]	250 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-methylpentane-2,4-diol (107-41-5)		
United Kingdom - Occupational Exposure Limits		
Local name	2-Methylpentane-2,4-diol	
WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL TWA (OEL TWA) [2]	25 ppm	
WEL STEL (OEL STEL)	123 mg/m³	
WEL STEL (OEL STEL) [ppm]	25 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-methylpentane-2,4-diol (107-41-5)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
CAMPHOR (76-22-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Bornan-2-one	
WEL TWA (OEL TWA) [1]	13 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
TURPENTINE (8006-64-2, 9005-90-7, 8052-14-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Turpentine	
WEL TWA (OEL TWA) [1]	566 mg/m³	
WEL TWA (OEL TWA) [2]	100 ppm	
WEL STEL (OEL STEL)	850 mg/m³	
WEL STEL (OEL STEL) [ppm]	150 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid. opaque.
Colour : Blue. milky.
Odour : characteristic.
Odour threshold : No data available

pH : 7.2

: No data available Relative evaporation rate (butylacetate=1) Melting point : Not applicable : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 0.99 g/cm³

Solubility : In water, the material disperses.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Not established. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Serious eye damage/irritation

Additional information

10.6. Hazardous decomposition products

Thermal decomposition generates: fume. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (dermar) Acute toxicity (inhalation)	: Not classified	
2-methylpropan-2-ol; tert-butyl alcoh	nol (75-65-0)	
LD50 oral rat	3500 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
propan-2-ol; isopropyl alcohol; isopr	ropanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	12800 mg/kg	
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))	
reaction mass of 5-chloro-2-methyl-2	2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat (Dust/Mist)	0.31 mg/l/4h	
hydrogen peroxide solution % (7722-84-1)		
LC50 Inhalation - Rat	2000 mg/m³ vapour	
DIETHYL PHTHALATE (84-66-2)		
LD50 oral rat	8600 mg/kg	
LD50 dermal	22.4 g/kg Guinea Pig	
methanol (67-56-1)		
LD50 oral rat	1187 – 2769 mg/kg	
LC50 Inhalation - Rat	115.9 – 130.7 mg/l/4h	
Skin corrosion/irritation	: Not classified pH: 7.2	
Additional information	: Based on available data, the classification criteria are not met	

: Based on available data, the classification criteria are not met

: Not classified pH: 7.2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation	: May cause sensitisation of susceptible persons by skin contact
Additional information	: 'Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
2-methylpropan-2-ol; tert-butyl alc	ohol (75-65-0)
OTOT : 1	Management of the contract of

Additional information :	Based on available data, the classification criteria are not met	
2-methylpropan-2-ol; tert-butyl alcohol (75-65-0)		
STOT-single exposure	May cause respiratory irritation.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.	
hydrogen peroxide solution % (7722-84-1)		
STOT-single exposure	May cause respiratory irritation.	
methanol (67-56-1)		
STOT-single exposure	Causes damage to organs.	
CAMPHOR (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
methanol (67-56-1)		

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
methanol (67-56-1)		
LOAEL, subacute, oral, monkey	2340 mg/kg bw (3 days)	
2-methylpentane-2,4-diol (107-41-5)		
NOAEL (oral, rat, 90 days)	450 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
Aspiration hazard :	Not classified	

Additional information : Based on available data, the classification criteria are not met Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

30/05/2022 (Revision date) 10/17 GB - en

Safety Data Sheet

2-methylpropan-2-ol; tert-butyl alcohol (75-65	2-methylpropan-2-ol; tert-butyl alcohol (75-65-0)		
LC50 - Fish [1]	> 961 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	933 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 976 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 96h - Algae [1]	> 976 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic algae	976 mg/l		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LC50 - Fish [1]	9640 mg/l Test organisms (species): Fathead minnow (Pimephales promelas)		
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): (Desmodesmus subspicatus)		
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))		
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)		
copper dinitrate (3251-23-8)			
LC50 - Fish [1]	0.286 mg/l		
EC50 - Crustacea [1]	10 μg/l temp 20°C		
NOEC chronic fish	0.0116 mg/l		
NOEC chronic crustacea	0.118 mg/l		
NOEC chronic algae	0.03 mg/l		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
LC50 - Fish [1]	0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus		
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	0.019 mg/l Test organisms (species): Skeletonema costatum		
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
NOEC chronic algae	0.004 mg/l		
hydrogen peroxide solution % (7722-84-1)			
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Fathead minnow (Pimephales promelas)		
LC50 - Other aquatic organisms [1]	17.7 mg/l Freshwater snail		
EC50 - Crustacea [1]	2.4 mg/l Test organisms (species): Daphnia pulex		
EC50 72h - Algae [1]	5.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata		
ErC50 algae	2.62 mg/l Test organisms (species): Skeletonema costatum (marine diatom)		
NOEC chronic fish	5 mg/l		
DIETHYL PHTHALATE (84-66-2)			
LC50 - Fish [1]	12 mg/l Rainbow trout		
LC50 - Fish [2]	29 mg/l Sheephead minnow		
	I		

Safety Data Sheet

DIETHYL PHTHALATE (84-66-2)	
EC50 - Crustacea [1]	90 mg/l
EC50 72h - Algae [1]	45 mg/l
NOEC chronic fish	1.9 mg/l
NOEC chronic crustacea	43 mg/l
NOEC chronic algae	9 mg/l
methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus (Bluegill)
LC50 - Fish [2]	> 100 mg/l Test organisms (species): Pimephales promelas (Fat-head Minnow)
EC50 - Crustacea [1]	18260 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	2500 mg/l Test organisms (species): Crangon Crangon (Common sand shrimp)
EC50 96h - Algae [1]	22000 mg/l Test organisms (species): Selenastrum capricornutum
EC50 96h - Algae [2]	16.912 mg/l Test organisms (species): Ulva pertusa
NOEC chronic fish	15800 mg/l Test organisms (species): Oryzias latipes (Red killifish)
IC50, microorganisms, acute	20000 mg/l (15 Hours)
IC50, microorganisms, acute	> 1000 mg/l (3 Hours)
2-methylpentane-2,4-diol (107-41-5)	
EC50 - Crustacea [1]	5410 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 429 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names:
	Raphidocelis subcapitata, Selenastrum capricornutum)
CAMPHOR (76-22-2)	Raphidocelis subcapitata, Selenastrum capricornutum)
CAMPHOR (76-22-2) LC50 - Fish [1]	33.25 mg/l
LC50 - Fish [1]	33.25 mg/l
LC50 - Fish [1] EC50 - Crustacea [1]	33.25 mg/l 4.23 mg/l
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1]	33.25 mg/l 4.23 mg/l 1.71 mg/l
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae	33.25 mg/l 4.23 mg/l 1.71 mg/l
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability	33.25 mg/l 4.23 mg/l 1.71 mg/l
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406)	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (4)	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability)	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable. 1.19 – 1.72 g O ₂ /g substance
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable. 1.19 – 1.72 g O ₂ /g substance 2.23 g O ₂ /g substance
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) reaction mass of 5-chloro-2-methyl-2H-isothia	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable. 1.19 – 1.72 g O ₂ /g substance 2.23 g O ₂ /g substance 2.23 g O ₂ /g substance 1.20I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) Not readily biodegradable.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) reaction mass of 5-chloro-2-methyl-2H-isothia Persistence and degradability	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable. 1.19 – 1.72 g O ₂ /g substance 2.23 g O ₂ /g substance 2.23 g O ₂ /g substance 1.20I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) Not readily biodegradable.
LC50 - Fish [1] EC50 - Crustacea [1] EC50 72h - Algae [1] NOEC chronic algae 12.2. Persistence and degradability Canopy Cleaner (WP 1406) Persistence and degradability propan-2-ol; isopropyl alcohol; isopropanol (Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) reaction mass of 5-chloro-2-methyl-2H-isothial Persistence and degradability ethanol, 2,2'-iminobis-,N-[3-(branched decyloromathyl-2,2'-iminobis-,N-[3-(branched decyloromathyl-2,2'-iminobis-,N-[3-(bran	33.25 mg/l 4.23 mg/l 1.71 mg/l 0.032 mg/l Not established. 67-63-0) Readily biodegradable. 1.19 – 1.72 g O ₂ /g substance 2.23 g O ₂ /g substance 2.23 g O ₂ /g substance izol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) Not readily biodegradable. ky)propyl] derivs., N-oxides (68478-65-9)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methanol (67-56-1)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.6 – 1.12 g O₂/g substance
Chemical oxygen demand (COD)	1.42 g O₂/g substance
ThOD	1.5 g O ₂ /g substance
BOD (% of ThOD)	0.8 % ThOD
Biodegradation	95 % 20 days

12.3. Bioaccumulative potential

Canopy Cleaner (WP 1406)	
Bioaccumulative potential	Not established.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	No bioaccumulation.
ethanol, 2,2'-iminobis-,N-[3-(branched decyloxy)propyl] derivs., N-oxides (68478-65-9)	
Bioaccumulative potential	Not established.
hydrogen peroxide solution % (7722-84-1)	
Bioaccumulative potential	No bioaccumulation.
methanol (67-56-1)	
BCF - Fish [1]	< 10 Leuciscus idus (Golden orfe)
Partition coefficient n-octanol/water (Log Pow)	-0.74
Bioaccumulative potential	Low. Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

12.4. Mobility in soil

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Surface tension	22.7 mN/m
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.
methanol (67-56-1)	
Surface tension	22.6 mN/m (20 °C)
Ecology - soil	Product adsorbs onto the soil.

12.5. Results of PBT and vPvB assessment

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-methylpentane-2,4-diol (107-41-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

Safety Data Sheet

Ecology - waste materials

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUF	I-statements:
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Sol. 2	Flammable solids, Category 2
H225	Highly flammable liquid and vapour.
H228	Flammable solid.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUI	H-statements:
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.