

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 05/03/2018 Revision date: 05/03/2021 Supersedes: 15/01/2016 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture

: Complete Bathroom Care WP 0909 Product name

Product code : WP 0909

Type of product : Anti-scaling agent

Product group · Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Removes limescale, grease and grime. Contains bacteria that digest unpleasant odours

### Uses advised against

No additional information available

### Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd

9 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset

BH21 6FA - United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS: info@wessexchemicalfactors.co.uk

### **Emergency telephone number**

**Emergency number** : +44 7973629367

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category H319

Full text of H statements : see section 16

# Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

### **Label elements**

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, protective gloves.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

# Other hazards

No additional information available

05/03/2018 1/8 GB - en

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
citric acid	(CAS-No.) 5949-29-1 (EC-No.) 201-069-1 (REACH-no) 01-2119457026-42	10 - 20	Eye Irrit. 2, H319
propan-2-ol, isopropyl alcohol, isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
C9-11 alcohol ethoxylate with 6.5 mol EO	(CAS-No.) 68439-46-3	>= 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing.

Allow the victim to rest. Remove affected clothing and wash all exposed skin area with mild soap and water, followed First-aid measures after skin contact

by warm water rinse. Wash skin with plenty of water.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.

Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### Special hazards arising from the substance or mixture

While not normally combustible, if water content is lost (as in a fire), material may release Fire hazard

flammable vapours if exposed to high temperature.

Hazardous decomposition products in case of

fire

: Toxic fumes may be released.

#### 5.3. Advice for firefighters

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire fighting water from entering the environment.

Do not enter fire area without proper protective equipment, including respiratory protection. Do Protection during firefighting

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

05/03/2018 GB - en 2/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Flush contaminated areas with plenty of water.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to prevent

formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : ≥ 5 °C

Storage area : Protect from freezing

#### 7.3. Specific end use(s)

Cleaning.

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³ (8 hours)
United Kingdom	WEL TWA (ppm)	400 ppm (8 hours)
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³ (15 minutes)
United Kingdom	WEL STEL (ppm)	500 ppm (15 minutes)
United Kingdom	Remark (WEL)	Can be absorbed through the skin
United Kingdom	Regulatory reference	EH40. HSE

# 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses.

# Hand protection:

Wear protective gloves.

### Eye protection:

Safety glasses

## Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### Personal protective equipment symbol(s):

05/03/2018 GB - en 3/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830





### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Mobile liquid.

Colour : light green.

Odour : Odour relevant to fragrance. Pleasant (perfume).

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : ~80 - 100 °C Flash point : > 60 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Will not normally support combustion.

Vapour pressure : No data available Relative vapour density at 20 °C No data available Relative density : No data available Density : 1.042 g/cm<sup>3</sup> Solubility : soluble in water. Log Pow No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available Explosive properties Oxidising properties : No data available **Explosive limits** : No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Sodium hypochlorite.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

05/03/2018 GB - en 4/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION	11: To	xicologi	cal int	formation

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

citric acid (5949-29-1)	
LD50 oral rat	11700 mg/kg
LD50 oral	5400 mg/kg (mouse)
LD50 dermal rat	> 2000 mg/kg bodyweight

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	

# C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

LD50 oral rat <a href="https://www.commons.com/scripts/">C 2000 mg/kg</a>
Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

citric acid (5949-29-1)	
LC50 fish 1	> 100 mg/l Fathead minnow, (P. promelas)
EC50 other aquatic organisms 1	> 50 mg/l (Zebra mussel D. polymorpha)
NOEC chronic algae	425 mg/l (Algae S. quadricauda)

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LC50 fish 1	1 - 10 mg/l

# 12.2. Persistence and degradability

i di	
Complete Bathroom Care WP 0909	
Persistence and degradability	Not established.

05/03/2018 GB - en 5/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3	
citric acid (5949-29-1)	
Persistence and degradability	Readily biodegradable.
propan-2-ol, isopropyl alcohol, isopropanol	(67-63-0)
Persistence and degradability	Readily biodegradable.
C9-11 alcohol ethoxylate with 6.5 mol EO (68	3439-46-3)
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Complete Bathroom Care WP 0909	
Bioaccumulative potential	Not established.
citric acid (5949-29-1)	
Log Kow	-1.80.2
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
propan-2-ol, isopropyl alcohol, isopropanol	(67-63-0)
Log Pow	0.05
Bioaccumulative potential	No bioaccumulation.
C9-11 alcohol ethoxylate with 6.5 mol EO (68	3439-46-3)
Bioaccumulative potential	Bioaccumulation unlikely.
12.4. Mobility in soil	
propan-2-ol, isopropyl alcohol, isopropanol	(67-63-0)
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.
12.5. Results of PBT and vPvB assessmen	nt
Component	
citric acid (5949-29-1)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
OFOTION 40 Bissessia and described	
SECTION 13: Disposal consideration	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	and the second control of the second control
In accordance with ADR / RID / IMDG / IATA / AF	)N

In accordance with ADR / RID / IMDG / IATA / ADN

in accordance with ADIC / ICD / IMDO / IATA /	ADIN
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable

05/03/2018 GB - en 6/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

No data available

### - Transport by sea

No data available

### - Air transport

No data available

### - Inland waterway transport

No data available

### - Rail transport

No data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

05/03/2018 GB - en 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

## Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/03/2018 GB - en 8/8