

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 18/10/2024 Issue date: 18/09/2014 Revision date: 18/10/2021 Supersedes version of: 07/12/2018 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
	: Mixture : Ice Free : G701 : Blend	
1.2. Relevant identified uses of the substance	e or mixture and uses advised against	
1.2.1. Relevant identified uses		
Industrial/Professional use spec	: Industrial For professional use only	
Use of the substance/mixture	: De-icer	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety data sheet		
Wessex Chemical Factors Ltd 17 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset – BH21 6FA United Kingdom T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863 www.wessexchemicalfactors.co.uk E-mail address of competent person responsible for the SDS : info@wessexchemicalfactors.co.uk		
1.4. Emergency telephone number		
Emergency number	: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)	

+44 (0) 7973629367 (Out of hours emergency number)

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity — Repeated exposure, Category 2	H373
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Contains : Warning

•

: propan-2-ol; isopropyl alcohol; isopropanol, ethanediol; ethylene glycol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	 H226 - Flammable liquid and vapour. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	 P1010 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical equipment. P260 - Do not breathe vapours, spray, mist. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use dry extinguishing powder, carbon dioxide (CO2), alcohol resistant foam to extinguish. P403+P235 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25-XXXX	30 – 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
ethanediol; ethylene glycol	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28-XXXX	10 – 15	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
C9-11 alcohol ethoxylate with 6.5 mol EO	CAS-No.: 68439-46-3	0.1 – 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1 Extinguishing modia			
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Sand. Water spray. CAUTION: For mixtures containing alcohol or polar solvent, alcohol-resistant foam may be more effective.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard	: Highly flammable liquid and vapour. Flammable liquid and vapour.		
Explosion hazard	: May form flammable/explosive vapour-air mixture. Vapors may travel to source of ignition and flash back.		
Hazardous decomposition products in case of fire	: Carbon monoxide. Carbon dioxide.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipm	ent and emergency procedures
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. Avoid breathing vapours. For further information refer to section 8: "Exposure controls/personal protection".

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

Notify authorities if product enters sewers or public waters.

: Dispose of materials or solid residues at an authorized site.

Other information

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep in fireproof place. Keep container tightly closed. Store locked up.
Incompatible products	: Strong bases. Strong acids. Strong oxidizing agents.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanediol; ethylene glycol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ethylene glycol	
IOEL TWA	52 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	104 mg/m ³	
IOEL STEL [ppm]	40 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Ethane-1,2-diol	
WEL TWA (OEL TWA) [1]	10 mg/m³ particulate 52 mg/m³ vapour	
WEL TWA (OEL TWA) [2]	20 ppm vapour	
WEL STEL (OEL STEL)	104 mg/m³ vapour	
WEL STEL (OEL STEL) [ppm]	40 ppm vapour	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Blue. Liquid.
Colour	: Blue.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 82 °C
Flash point	: ~24 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.953 g/cm ³
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7). Flammable liquid and vapour.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition generates : fume. May release flammable gases. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
LD50 oral rat	5045 mg/kg		
LD50 dermal rabbit	12800 mg/kg		
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))		
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)			
LD50 oral rat	< 2000 mg/kg		
ethanediol; ethylene glycol (107-21-1)			
LD50 dermal rabbit	> 10600 mg/kg		
LD50 dermal	> 3500 mg/kg mouse		
LC50 Inhalation - Rat	> 2.5 mg/l		
Skin corrosion/irritation:Additional information:Serious eye damage/irritation:Respiratory or skin sensitisation:	Not classified Based on available data, the classification criteria are not met Causes serious eye irritation. Not classified		
Additional information:Germ cell mutagenicity:Additional information:	Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met		
Carcinogenicity : Additional information : Reproductive toxicity :	Not classified Based on available data, the classification criteria are not met Not classified		
Additional information :	Based on available data, the classification criteria are not met		
	May cause drowsiness or dizziness.		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure : Additional information :	May cause damage to organs through prolonged or repeated exposure. Based on available data, the classification criteria are not met		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanediol; ethylene glycol (107-21-1)	
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
NOAEL, male, oral, rat	150 mg/kg bw/day (12 months)
Aspiration hazard	Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and	: Direct contact with the eyes is likely to be irritating, Harmful if swallowed.
symptoms	

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)
LC50 - Fish [1]	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 72h - Algae [1]	> 1000 mg/l (Desmodesmus subspicatus)
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)
C9-11 alcohol ethoxylate with 6.5 mol EO (684	39-46-3)
LC50 - Fish [1]	1 – 10 mg/l
ethanediol; ethylene glycol (107-21-1)	
LC50 - Fish [1]	72860 mg/l Fathead minnow (Pimephales promelas)
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	6500 – 13000 mg/l
NOEC chronic fish	15380 mg/l
NOEC chronic algae	> 100 mg/l
12.2. Persistence and degradability	
Ice Free	

Ice Free			
Persistence and degradability	Not established.		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
Persistence and degradability	Readily biodegradable.		
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)			
Persistence and degradability	Readily biodegradable.		
ethanediol; ethylene glycol (107-21-1)			
Persistence and degradability	Readily biodegradable.		
Biochemical oxygen demand (BOD)	1.24 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.22 g O ₂ /g substance		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
Ice Free		
Bioaccumulative potential	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
Bioaccumulative potential	No bioaccumulation.	
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)		
Bioaccumulative potential	Bioaccumulation unlikely.	
ethanediol; ethylene glycol (107-21-1)		
Partition coefficient n-octanol/water (Log Pow)	-1.36	
Bioaccumulative potential	Low.	
12.4. Mobility in soil		

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)				
Surface tension	22.7 mN/m			
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.			
ethanediol; ethylene glycol (107-21-1)				
Mobility in soil	The substance will not evaporate into the atmosphere from the water surface., Adsorption to solid soil phase is not expected.			

12.5. Results of PBT and vPvB assessment

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ethanediol; ethylene glycol (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46- 3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RID	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number	I		I		
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993	
14.2. UN proper shippin	g name				
FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)	Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)	
Transport document descr	iption		1	1	
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, III	LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropyl alcohol; biopropyl alcohol; ligopropyl alcohol; biopropyl alcohol; b		UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, III	
14.3. Transport hazard o	class(es)		·	·	
3	3	3	3	3	
3					
14.4. Packing group		·	·	·	
III	III	III	III	III	
14.5. Environmental haz	ards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	
No supplementary informatic	n available	I	I	I	

14.6. Special precautions for user

Overland transport

Classif	ication code (ADR)	:	F1
Specia	l provisions (ADR)	:	274, 601
Limited	d quantities (ADR)	:	51
Except	ed quantities (ADR)	:	E1
Packin	g instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed	packing provisions (ADR)	:	MP19
Portab	le tank and bulk container instructions (ADR)	:	Τ4
Portab	le tank and bulk container special provisions	:	TP1, TP29
(ADR)			
Tank c	ode (ADR)	:	LGBF
Vehicle	e for tank carriage	:	FL
Transp	oort category (ADR)	:	3
Specia	l provisions for carriage - Packages (ADR)	:	V12
Specia	I provisions for carriage - Operation (ADR)	:	S2
Hazaro	identification number (Kemler No.)	:	30
Orange	e plates	:	30 1993
Tunnel	restriction code (ADR)	:	D/E
EAC c	ode	:	•3Y

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea	
Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
	054

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Colis express (express parcels) (RID)

Hazard identification number (RID)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: CE4

: 30

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
РВТ	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.